

Learning Model Dashboard and Metrics

| Category | Factors | | | | 4/16 | 4/23 | 4/30 | 2/7 | 5/14 | 5/21 | 5/28 | |
|--------------------------------------|--|---|------|-----|------|------|------|-----|------|------|------|--|
| | Student A | Absences Related to COVID-19 (see Page 5) | | | | | | | | | | |
| Environmental | Staff Abs | ences Related to COVID-19 (see Page 5) | | | | | | | | | | |
| Factors | Substitut | e Availability | | | | | | | | | | |
| ractors | WSD Safety | WSD Safety Precautionary Measures | | | | | | | | | | |
| (monitored daily, summarized weekly) | Mask Wearing | | | | | | | | | | | |
| Exact Data, Current | Cohorting/Social Distancing | | | | | | | | | | | |
| | Virtual Learning Functionality | | | | | | | | | | | |
| | Case Burden | Case Burden Rate – Franklin | 167 | 203 | 186 | 256 | 306 | 206 | 103 | 67 | 42 | |
| | | Case Burden Rate - Greenfield | 165 | 187 | 181 | 197 | 187 | 149 | 116 | 95 | 95 | |
| Medical/Health | | Case Burden Rate - Hales Corners | 198 | 263 | 250 | 250 | 132 | 40 | 79 | 132 | 92 | |
| Factors | % Positiv | % Positive Test (MKE County) past week | | 5.6 | 5.7 | 5.0 | 4.4 | 4.4 | 3.5 | 3.1 | 2.8 | |
| | Hospital IC | Hospital ICU Status (MKE County) | | | | | | | | | | |
| (monitored weekly) Trending, Lagging | Hospital % of Admitted Patients (MKE County) | | | | | | | | | | | |
| | Contact Tr | Contact Tracing Capacity | | | | | | | | | | |
| | R (reprodu | ctive) Data (MKE County Suburbs) | 1.25 | .99 | 1.01 | .96 | .86 | .88 | 1.01 | .77 | .89 | |

Data Updated 5/28/21 and Posted 5/30/21

Learning Model Dashboard and Metrics Weeks Ending 1/18 through 3/19

| Category | Factors | 1/18 | 1/25 | 2/1 | 2/8 | 2/15 | 2/22 | 3/1 | 3/8 | 3/15 | 3/19 | |
|---|--------------------------------|--|------|-----|-----|------|------|-----|-----|------|------|-----|
| | Student A | Absences Related to COVID-19 (see Page 4) | | | | | | | | | | |
| Environmental | Staff Abs | ences Related to COVID-19 (see Page 4) | ı | | | | | | | | | |
| Factors | Substitut | e Availability | | | | | | | | | | |
| i accors | WSD Safety | WSD Safety Precautionary Measures | | | | | | | | | | |
| (monitored daily, summarized weekly) | Mask Wear | Mask Wearing | | | | | | | | | | |
| Exact Data, Current | Cohorting/S | Cohorting/Social Distancing | | | | | | | | | | |
| | Virtual Learning Functionality | | | | | | | | | | | |
| | Case Burden | Case Burden Rate – Franklin | 570 | 703 | 597 | 419 | 383 | 264 | 164 | 136 | 119 | 164 |
| | | Case Burden Rate - Greenfield | 582 | 557 | 449 | 338 | 289 | 238 | 187 | 176 | 116 | 95 |
| Medical/Health | Burden | Case Burden Rate - Hales Corners | 803 | 830 | 421 | 342 | 593 | 421 | 92 | 53 | 26 | 40 |
| Factors | % Positiv | % Positive Test (MKE County) past week | | 7.8 | 7.1 | 6.6 | 4.3 | 3.5 | 3.4 | 2.8 | 2.8 | 3.2 |
| | Hospital IC | Hospital ICU Status (MKE County) | | | | | | | | | | |
| (monitored weekly) Trending, Lagging | Hospital % | Hospital % of Admitted Patients (MKE County) | | | | | | | | | | |
| | Contact Tr | Contact Tracing Capacity | | | | | | | | | | |
| | R (reprodu | R (reproductive) Data (MKE County Suburbs) | | | .84 | .82 | .97 | .77 | .84 | 1.0 | .93 | .95 |

Learning Model Dashboard and Metrics Weeks Ending 11/2 through 1/11

| Category | Factors | 11/2 | 11/9 | 11/16 | 11/23 | 11/30 | 12/7 | 12/14 | 12/21 | 1/04 | 01/11 | |
|---|--|---|------|-------|-------|-------|------|-------|-------|------|-------|------|
| | Student A | Absences Related to COVID-19 (see Page 3) | | | | | | | | | | |
| Environmental | Staff Abs | ences Related to COVID-19 (see Page 3) | | | | | | | | | | |
| Factors | Substitut | e Availability | | | | | | | | | | |
| ractors | WSD Safety | WSD Safety Precautionary Measures | | | | | | | | | | |
| (monitored daily, summarized weekly) | Mask Wearing | | | | | | | | | | | |
| Exact Data, Current | Cohorting/Social Distancing | | | | | | | | | | | |
| | Virtual Learning Functionality | | | | | | | | | | | |
| | Case Burden | Case Burden Rate – Franklin | 653 | 950 | 1308 | 1605 | 1833 | 1731 | 1330 | 915 | 644 | 558 |
| | | Case Burden Rate - Greenfield | 776 | 1204 | 1633 | 1988 | 1904 | 1325 | 1044 | 993 | 682 | 588 |
| Medical/Health | | Case Burden Rate - Hales Corners | 685 | 988 | 1237 | 1475 | 1528 | 1093 | 856 | | 1106 | 724 |
| Factors | % Positiv | % Positive Test (MKE County) past week | | | 20.0 | 16.2 | 12.4 | 15.2 | 12.3 | 11.1 | 9.3 | 11.5 |
| (monitored weekly) Trending, Lagging | Hospital IC | Hospital ICU Status (MKE County) | | | | | | | | | | |
| | Hospital % of Admitted Patients (MKE County) | | | | | | | | | | | |
| | Contact Tr | Contact Tracing Capacity | | | | | | | | | | |
| | R (reprodu | ctive) Data (MKE County Suburbs) | 1.0 | 1.0 | .91 | 1.1 | .81 | .92 | .98 | .81 | .92 | 1.1 |

Learning Model Dashboard and Metrics Weeks Ending 8/17 through 11/2

| Category | Factors | 8/17 | 8/24 | 8/31 | <i>L</i> /6 | 9/14 | 9/21 | 9/28 | 10/5 | 10/12 | 10/19 | 10/26 | 11/2 | |
|---|--|--|------|------|-------------|------|------|------|------|-------|-------|-------|------|------|
| | Student A | Absences Related to COVID-19 (see Page 2) | | | | | | | | | | | | |
| Environmental | Staff Abs | ences Related to COVID-19 (see Page 2) | | | | | | | | | | | | |
| Factors | Substitut | Substitute Availability | | | | | | | | | | | | |
| ractor 5 | WSD Safet | WSD Safety Precautionary Measures | | | | | | | | | | | | |
| (monitored daily, summarized weekly) | Mask Wearing | | | | | | | | | | | | | |
| Exact Data, Current | Cohorting/Social Distancing | | | | | | | | | | | | | |
| | Virtual Learning Functionality | | | | | | | | | | | | | |
| | | Case Burden Rate – Franklin | 170 | 90 | 141 | 180 | 139 | 139 | 197 | 208 | 189 | 263 | 470 | 653 |
| | Case Burden | Case Burden Rate - Greenfield | | | 135 | 116 | 121 | 119 | 179 | 238 | 273 | 414 | 544 | 776 |
| Medical/Health | | Case Burden Rate - Hales Corners | 325 | 200 | 210 | 263 | 66 | 79 | 171 | 224 | 277 | 500 | 553 | 685 |
| Factors | % Positiv | % Positive Test (MKE County) past week | | 5.0 | 4.9 | 5.2 | 7.9 | 4.9 | 6.7 | 7.3 | 6.9 | 10.2 | 11.4 | 14.0 |
| (monitored weekly) Trending, Lagging | Hospital IC | Hospital ICU Status (MKE County) | | | | | | | | | | | | |
| | Hospital % of Admitted Patients (MKE County) | | | | | | | | | | | | | |
| | Contact Tr | Contact Tracing Capacity | | | | | | | | | | | | |
| | R (reprodu | R (reproductive) Data (MKE County Suburbs) | | | .83 | .72 | .73 | 1.0 | .96 | .95 | .84 | 1.1 | .85 | 1.0 |

Data Updated 10/30/20 and Posted 11/1/20

Internal Dashboard Metrics: Definitions and Ranges

| Category | Factors | Ranges based upon local | and regional guidelines | | | | | | | | | |
|---|--|---|--|---|---|--|--|--|--|--|--|--|
| | Student Attendance Related to COVID-19 (Events) | Student absences related to COVID-19, categorized by positive test, quarantine, isolation. Will be associated with an event to determine absences related to an event or case | | | | | | | | | | |
| | Staff Attendance Related to COVID-19 sorted by building. Dates of return from quarantine and isola to determine days of anticipated absences. Telework option will be used when possible | | | | | | | | | | | |
| | Substitute Availability | Number of substitutes available to cover teacher absences, considering both absences du standard absences | | | | | | | | | | |
| | WSD Safety Precautionary Measures Supply of Sanitizer, masks, physical barriers, and ability to conduct daily disinfecting | | | | | | | | | | | |
| | Mask Wearing Daily sampling of students in each building following mask wearing protocols | | | | | | | | | | | |
| | Cohorting/Social Distancing | Daily sampling/checking o | of students in cohorts when p | possible and ability to physicall | y distance | | | | | | | |
| Environmental Factors | Virtual Learning Functionality | Rounding/sampling of fam | nilies, students, staff using ru | bric for evaluating effectivenes | ss | | | | | | | |
| | | | | | | | | | | | | |
| (monitored daily, summarized weekly) | Student Attendance Related to COVID-19 (Events) | Minimal | Increasing Events in All Buildings | Multiple Events Extending Across Buildings | Multiple Events Extending Buildings and Grades | | | | | | | |
| Exact Data, Current | Staff Attendance Related to COVID-19 | Minimal or None | Increasing but Coverage Available | Increasing at All Buildings, Coverage Unreliable | Staff Contact Multiplying with Coverage Unlikely | | | | | | | |
| | Substitute Availability | Teachers on Call | Whitnall Educators | Other Whitnall Staff | Virtual Educators | | | | | | | |
| | WSD Safety Precautionary Measures | No Concerns | Supply Concerns | Uncovered Needs | | | | | | | | |
| | Mask Wearing | Consistent | Inconsistent | Very Inconsistent | | | | | | | | |
| | Cohorting/Social Distancing | Consistent with Plan | Inconsistent with Plan | Very Inconsistent with Plan | | | | | | | | |
| | Virtual Learning Functionality | Consistent Feedback from Stakeholders | Inconsistent Feedback from Stakeholders | Very Inconsistent Feedback from Stakeholders | | | | | | | | |

External Dashboard Metrics: Definitions and Ranges

| Category | Factors | Definitions | | | | | | | | | |
|----------------------|---|---|---|--|------------------------------------|--|--|--|--|--|--|
| | Case Burden - Franklin | | | | | | | | | | |
| | Case Burden - Greenfield | This is defined as a 14-day confirmed case rate per 100,000 population. This permits comparison across jurisdictions. Lags by two days when reported on Thursday. | | | | | | | | | |
| | Case Burden - Hales Corners | | | | | | | | | | |
| | % Positive Test (MKE County)* | The weekly averag | e of tests positive in the previous w | eek in Milwaukee County | | | | | | | |
| | Hospital ICU Status (MKE County) | Occupancy of ICU v | vings at MKE County hospitals | | | | | | | | |
| | Hospital % of Admitted Patients (MKE County) | Percentage of hospital admitted patients due to COVID-19, alternate care site use (State Fair Park) | | | | | | | | | |
| Medical/ | Contact Tracing Capacity (MKE County) | Ability to contact all persons in a case investigation within 24 hours | | | | | | | | | |
| Health Factors | R (reproductive) Data (MKE County) | | s the number of new cases that are person infects 2 new people. | the result of an existing case. For ex | ample, an R of 2 would indicate | | | | | | |
| (weekly) | | Ranges based upo | on local and regional guidelines | | | | | | | | |
| Trending, Lagging | Case Burden Rate - Franklin | | | | | | | | | | |
| 888 | Case Burden Rate - Greenfield | Case rate <=10 per 100,000 | Case rate >10 and <=50 per 100,000 | Case rate >50 and <=100 per 100,000 | Case rate >100 than per 100,000 | | | | | | |
| | Case Burden Rate - Hales Corners | • | | | · | | | | | | |
| | % Positive Test (MKE County) past week | <5% | 5-10% | >10% | | | | | | | |
| | Hospital ICU Status (MKE County) | <90% full | 90-100% full | >100% full State Fair Park use | | | | | | | |
| | Hospital % of Admitted Patients (MKE County) | <25% | 25-49% | >50% | | | | | | | |
| | Contact Tracing Capacity | 100% in 24 hours | 50-99% in 24 hours | <50% in 24 hours | | | | | | | |
| | R (reproductive) Data (MKE County Suburbs) | <.9 | .9199 | >1.0 | | | | | | | |

^{*}Based upon testing availability, this metric may need to be modified as the percentage of positive tests will be inconsistent.